


- 79-Hatch  
80-Tread  
86-Hinge  
88-Side bracket  
90-LXH handrail  
94-Stringer (ladder side element)  
714-Spacing washer

P Board movement after opening [inch]	S Step width [inch]	E Step Length [inch]	Z Step thickness [inch]
1"	3 1/8"	13 3/4"	7/8"

LTK ENERGY								
H	AxB	K	R	C	T	WxL	MxN	G
Ceiling height	Rough opening	Folded loft ladder height	Projection	Landing space	Frame height	Outside frame dimensions	Internal frame dimensions	Distance between heads
[inch]	[inch]	[inch]	[inch]	[inch]	[inch]	[inch]	[inch]	[inch]
7'8 1/2" - 9'2"	22"x47"	13 3/8"	64 1/8"	48 1/2"	7 1/8"	22"x46 1/2"	20 1/2"x44 1/2"	9 1/8"
	25"x47"					24 1/2"x46 1/2"	23"x44 1/2"	
7'11 1/2" - 10'1"	22"x54"					22"x53 1/2"	20 1/2"x51 1/2"	
	25"x54"					24 1/2"x53 1/2"	23"x51 1/2"	
	30"x54"			53 3/8"		28 1/2"x53 1/2"	28"x51 1/2"	

FAKRO



Warning! The present drawing is for informational-demonstrative purposes only and as such cannot constitute a basis for performance. All dimensions presented in this drawing should be verified on site. Because of the fact that the drawing is a schematic one, FAKRO shall not assume any responsibility for the actual installation quality. This drawing is FAKRO's property and cannot be published or used publicly without our written consent.

Technical drawing:  
The LTK ENERGY Loft Ladder

FORMAT:  
LETTER

SCALE:  
1:25

DATE:  
01.2024